

ASSIGNMENT 1

Textbook Assignment: "Transportation Supervisor," pages 1-1 through 1-17.

Learning Objective: Identify the commands that are responsible for the procurement and management of equipment.

Learning Objective: Identify the management instructions used for the management and control of equipment.

- 1-1. What does the acronym CESE mean?
1. Civil Engineer Supply Equipment
 2. Civil Engineer Shore Equipment
 3. Civil Engineer Seabee Equipment
 4. Civil Engineer Support Equipment
- 1-2. CESE is classified as what type of material?
1. 1C
 2. 2C
 3. 3C
 4. 4C
- 1-3. What command is assigned the inventory manager responsibility for all 2C material in the Navy?
1. COMSECONDNCB Det Gulfport
 2. COMTHIRDNCB Det Port Hueneme
 3. NAVFACENGCOM
 4. CESO
- 1-4. What does the acronym CESO mean?
1. Civil Engineer Seabee Office
 2. Civil Engineer Shore Office
 3. Civil Engineer School Office
 4. Civil Engineer Support Office
- 1-5. The management responsibility for 2C materials is assigned to what command?
1. CESO
 2. CECOC
 3. COMTHIRDNCB Det Port Hueneme
 4. COMSECONDNCB Det Gulfport

- 1-6. What manual provides guidance for the management of equipment in a stable environment?
1. NAVFAC P-307
 2. NAVFAC P-300
 3. NAVFAC P-306
 4. NAVFAC P-404
- 1-7. What manual is a compilation of directives issued by the SECNAV, CNO, and COMNAVFACENGCOM?
1. NAVFAC P-307
 2. NAVFAC P-306
 3. NAVFAC P-300
 4. NAVFAC P-404
- 1-8. Procedures for the administration, operation, and maintenance of transportation equipment are contained in which of the following manuals?
1. NAVFAC P-405
 2. NAVFAC P-306
 3. NAVFAC P-307
 4. NAVFAC P-300
- 1-9. Criteria, policies, and procedures for the management of CESE assigned to Special Operating Units are contained in which of the following manuals?
1. NAVFAC P-404
 2. NAVFAC P-306
 3. NAVFAC P-405
 4. NAVFAC P-307

- 1-10. What manual or instruction was developed for the management of equipment in a variety of extreme conditions?
1. COMSECOND/ COMTHIRDCBINST 11200.1 series
 2. NAVFAC P-404
 3. NAVFAC P-405
 4. NAVFAC P-437
- 1-11. Policies and procedures to assist personnel concerned with the management of equipment within the Naval Construction Brigades are contained in which of the following instructions?
1. COMSECOND/COMTHIRDNCBINST 11200.1 series
 2. COMSECOND/ COMTHIRDNCBINST 11200.2 series
 3. COMSECOND/COMTHIRDNCBINST 11200.3 series
 4. COMSECOND/COMTHIRDNCBINST 11200.4 series
- 1-12. What manual or instruction has the intent to assist all levels of personnel in the management of transportation/maintenance operations?
1. NAVFAC P-437
 2. NAVFAC P-405
 3. COMSECOND/ COMTHIRDNCBINST 11200.1 series
 4. COMSECOND/ COMTHIRDNCBINST 11200.41 series
- 1-13. The Chief of Civil Engineers provides technical guidance regarding the organization and operation of the NCF in which of the following manuals?
1. NAVFAC P-405
 2. NAVFAC P-315
 3. NAVFAC P-437
 4. NAVFAC P-306
- 1-14. What manual presents an overview of the NCF and describes the mission and concepts of operations for NCF units other than the NMCB?
1. NAVFAC P-306
 2. NAVFAC P-307
 3. NAVFAC P-405
 4. NAVFAC P-315
-
- Learning Objective: Identify the programs and formats used for the management and control of equipment.
-
- 1-15. Which of the following computer programs is used for the management and procurement of CESE?
1. CASE/MIS
 2. ENABLE
 3. SAMMS
 4. WP 5.1
- 1-16. The COMSECOND/COMTHIRDNCB Equipment Offices perform on-hands management of CESE assignments, replacements, and overhauls on what computer program?
1. ENABLE
 2. CASE/MIS
 3. WP 5.1
 4. FORM TOOL
- 1-17. What type of list is a TAB A?
1. Supply list
 2. Parts list
 3. Weapons list
 4. Equipment list
- 1-18. The TAB A is initiated by what office?
1. Civil Engineer Support Office
 2. COMSECOND/COMTHIRDNCB Equipment Office
 3. Alfa company operations office
 4. Alfa company maintenance office

- 1-19. The equipment code (EC) for each type of CESE is assigned by what command?
1. NMCB
 2. CED
 3. CESO
 4. NCTC
- 1-20. Any special procurement for a unit of CESE is designated by which of the following numbers in the equipment code?
1. The first number
 2. The first two numbers
 3. The last number
 4. The last two numbers
- 1-21. The Naval Supply Systems Command controls the inventory of equipment by what equipment codes?
1. 0001/00-0999/99
 2. 1000/00-1999/00
 3. 2000/00-9999/99
 4. 10000/00-99999/99
-
- Learning Objective: Identify the responsibilities of the dispatcher.
-
- 1-22. The status and location of every assigned item of equipment is controlled by which of the following personnel?
1. Operations chief
 2. Transportation supervisor
 3. Yard boss
 4. Dispatcher
- 1-23. All spare keys for CESE are maintained in which of the following locations?
1. Dispatcher history jacket
 2. Dispatchers field jacket
 3. Equipment history jacket
 4. Seabee field jacket
- 1-24. The primary function of the equipment status board is to serve as a visual aid that provides a list of all equipment assigned to the unit.
1. True
 2. False
- 1-25. In the legend on the equipment status board in figure 1-2, the color green denotes which of the following information?
1. In-service, operational
 2. Deadline
 3. Pending replacement
 4. Ordered in
- 1-26. The dispatcher makes comparison checks daily between the dispatch equipment status board and the equipment status board maintained in what location?
1. Collateral equipage
 2. Crane shed
 3. Cost control
 4. Paint shop
- 1-27. The dispatcher records and maintains information on all vehicles and equipment in which of the following logs?
1. NAVFAC 9-11240/1
 2. NAVFAC 9-11240/2
 3. NAVFAC 9-11240/3
 4. NAVFAC 9-11240/4
- 1-28. Guidelines for dispatch operations are outlined in which of the following instructions?
1. COMSECOND/COMTHIRDNCBINST 11200.1 series
 2. COMSECOND/COMTHIRDNCBINST 1500.20 series
 3. COMSECOND/COMTHIRDNCBINST 5100.1 series
 4. COMSECOND/COMTHIRDNCBINST 5600.1 series

- 1-29. In the NCF, dispatch logs are retained on file for a minimum of how many days?
1. 60
 2. 70
 3. 80
 4. 90
- 1-30. At a public works unit, the DD Form 1970 is retained for a minimum of how many days?
1. 60
 2. 70
 3. 80
 4. 90
- 1-31. At a public works unit, the dispatcher logs are retained for a minimum of how many months?
1. 35
 2. 36
 3. 37
 4. 38
- 1-32. The Trouble Reports File is maintained by what sequence?
1. USN Numbers
 2. Equipment Codes
 3. Julian date of reports
 4. Preventive maintenance intervals
- 1-33. The standard interval between PM service inspections for NCF equipment is a total of how many working days?
1. 20
 2. 30
 3. 40
 4. 50
- 1-34. When a piece of equipment is scheduled for a PM, the cards in what file are forwarded with the piece of equipment?
1. Trouble Reports File
 2. Equipment Request File
 3. PM Schedule File
 4. Dispatcher's File
- 1-35. Within an NMCB, when should the deployment CESE assignments be generated?
1. During the BEEP
 2. Just after the BEEP
 3. Just after the main body arrives
 4. During the home port period
- 1-36. To develop the deployment CESE assignments, you must use what TAB as a guide for ECs and USN numbers?
1. TAB A
 2. TAB B
 3. TAB C
 4. TAB D
- 1-37. Class A assignment of a vehicle can only be authorized by what person?
1. The commanding officer
 2. The alfa company commander
 3. CNO
 4. The command master chief
- 1-38. Class B assigned vehicles should not exceed what percentage of active assigned CESE?
1. 05%
 2. 10%
 3. 15%
 4. 25%
- 1-39. What area in an NMCB provides maximum control over CESE?
1. The barracks
 2. The club
 3. The jobsite
 4. The transportation pool
- 1-40. What person has the final approval for CESE assignments for a NMCB?
1. The alfa company operations chief
 2. The alfa company chief
 3. The battalion operations officer
 4. The battalion commanding officer

1-41. During a deployment, what person evaluates and balances the mileage and hours put on assigned CESE?

1. The alfa company commander
2. The transportation supervisor
3. The yard boss
4. The maintenance supervisor

1-42. The base station for taxi service should be controlled at which of the following locations?

1. The quarterdeck
2. The galley
3. The dispatch office
4. The barracks

1-43. One of the missions of the transportation supervisor is to ensure a maximum service life for the equipment.

1. True
2. False

Learning Objective: Identify the responsibilities of the yard boss.

1-44. The yard boss enforces which of the following procedures?

1. Bravo company maintenance
2. Mechanic maintenance
3. Operator maintenance
4. Mishap maintenance

1-45. The yard boss is NOT responsible for which of the following actions?

1. Traffic flow
2. Refueling facility
3. Maintaining the washrack
4. Inventory of collateral equipage

1-46. The NCF Table of Allowance (TOA) contains which of the following tool kits to support the yard boss program?

1. Kit 80013
2. Kit 80031
3. Kit 80107
4. Kit 80111

1-47. What person maintains the hard card log book and issues the hard card numbers?

1. The yard boss
2. The dispatcher
3. The collateral equipage custodian
4. The maintenance supervisor

1-48. The equipment cycle log is maintained by which of the following personnel?

1. The yard boss
2. The light shop supervisor
3. The heavy shop supervisor
4. The 5000 shop supervisor

1-49. Cycling of equipment should be accomplished at what intervals?

1. Daily
2. Weekly
3. Every two weeks
4. Monthly

1-50. Part of the preventive maintenance program is the monthly cleaning of CESE that allows the detection and prevention of major problems.

1. True
2. False

1-51. The cleaning of CESE provides extended equipment life and increased efficiency of operators when they preform pre and post operational checks.

1. True
2. False

1-52. Which of the following terms best identifies an interim repair?

1. First echelon maintenance
2. Scheduled maintenance
3. Unscheduled maintenance
4. Scheduled PM maintenance

- 1-53. COMSECOND/ COMTHIRDNCB Equipo has established what standard PM-to-interim repair ratio?
1. One scheduled PM inspection to each interim repair
 2. Two scheduled PM inspections to each interim repair
 3. Three scheduled PM inspections to each interim repair
 4. Four scheduled PM inspections to each interim repair
- 1-54. The first step to take to achieve the PM-to-interim repair ratio is enforcement of what type of maintenance?
1. Operator maintenance
 2. Mechanic maintenance
 3. Camp maintenance
 4. Yard maintenance
- 1-55. At what time(s) should the transportation supervisor always be sure to tour the equipment yard?
1. First thing in the morning
 2. Last thing at night
 3. During pre and post operations
 4. During the lax period of the day and last thing at night
- 1-56. What person is responsible for changing a burned out taillight?
1. The mechanic at the quick-fix shop
 2. The yard boss
 3. The collateral equipage custodian
 4. The operator of the equipment
- 1-57. Equipment availability is the percentage of time the equipment is available in the mechanic shop compared to deadline.
1. True
 2. False

- 1-58. Which of the following is NOT a result of poor equipment availability?
1. Overworked or abused equipment
 2. Inadequate parts support
 3. Shortage of mechanic
 4. A strong yard boss program

Learning Objective: Identify the responsibilities required to supervise collateral equipage operations.

- 1-59. What person approves the ordering of collateral equipage?
1. The maintenance supervisor
 2. The transportation supervisor
 3. The cost control clerk
 4. The collateral equipage custodian
- 1-60. What are the two basic types of collateral equipment?
1. Component and automotive
 2. Construction and automotive
 3. Component and tactical
 4. Construction and tactical
- 1-61. Which of the following is/are NOT a piece of tactical collateral equipage?
1. Bits for the earth auger
 2. Side racks
 3. Lug wrench
 4. Chains with hooks
- 1-62. Outstanding requisitions, receipts, issues, locations, and annotations of allowance of a particular line item of equipage for each CESE is documented on which of the following forms?
1. CB 40
 2. CB 50
 3. CB 60
 4. CB 70

1-63. On the PM date, what form is pulled from a file to perform an inventory of mounted or stored collateral equipment for each USN numbered CESE entering the shop?

1. CB 40
2. CB 50
3. CB 60
4. CB 70

1-64. What person signs the CB 60 form to assume custody of mounted collateral gear on Class C assigned CESE?

1. The transportation supervisor
2. The yard boss
3. The collateral equipment custodian
4. The dispatcher

1-65. Attachments are accessories to automotive equipment that enable the basic equipment to function correctly or to add versatility.

1. True
2. False

1-66. Stored attachment accessories are maintained by what number series?

1. NAVSUP number
2. Equipment code
3. USN number
4. API number

1-67. The segregated storage of all attachments and their associated accessories is the responsibility of what person?

1. The transportation supervisor
2. The dispatcher
3. The yard boss
4. The attachment custodian

1-68. Which of the following designators is NOT reflected on the Attachment Status Board?

1. The attachment code
2. The equipment code
3. The NAVFAC I.D. number
4. Attachment description

Learning Objective: Identify the responsibilities of personnel assigned to conduct fuel operations.

1-69. A poorly managed fuel program results in needless downtime of equipment and delays in production.

1. True
2. False

1-70. What should the fuel truck driver review to determine the location of all CESE?

1. The attachment status board
2. The equipment status board
3. The hard card log book
4. The equipment status log book

1-71. Records of fuel issues are maintained by which of the following personnel?

1. The field maintenance crew
2. The yard boss
3. The fuel truck driver
4. The dispatcher

1-72. The fuel truck driver maintains the fuel truck by the standards outlined in which of the following COMSECON/COMTHIRDNCB instructions?

1. 4400.3 series
2. 11200.11 series
3. 11200.1 series
4. 5600.1 series

1-73. Lettering for the words NO SMOKING is marked on the fuel tanker in what size and color?

1. 6-inch black lettering
2. 6-inch yellow lettering
3. 3-inch black lettering
4. 3-inch yellow lettering

1-74. For fire extinguishers on fuel tankers, COMSECOND/COMTHIRDNCB Equipo recommends you follow the guidelines set forth in which of the following manuals?

1. EM 385-1-1
2. TM 5-545
3. EN 5462
4. EN 0113

1-75. At least one fire extinguisher carried on a fuel truck should be no less than what size?

1. 10-B:C
2. 20-B:C
3. 30-B:C
4. 40-B:C